

(Click on Well Log ID to Access Image of Well Strip Log)

DADE

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID: 004398

WELL TYPE

Noncommunity Public Well

DRILL DATE:

DRILL DEPTH:

100FT

DEPTH TO BED:

20FT

TOWNSHIP RANGE SECTION 30N 25W 13

ELEVATION:

UTM X

1.040FT

444,664.47

UTM Y 4,132,152.42 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 010918

WELL TYPE

Private Well

DRILL DATE:

1949/07/05

FΤ

TOWNSHIP 30N

SECTION RANGE

ELEVATION:

1,128FT

DRILL DEPTH:

80FT

25W 14

UTM X 441,968.41

UTM Y 4,132,832.44

DEPTH TO BED:

20FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

20

REMARKS: YIELD - "NO LIMIT"; 3 MI W OF ASH GROVE ON HWY 160, 0.5 MI N

LOG ID: 015677

WELL TYPE Private Well

DRILL DATE:

1956/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

1,152FT

DRILL DEPTH: DEPTH TO BED: 258FT

30N

25W

14

YIELD - 4.5 GPM @ 250'; 1 MI E OF EVERTON ON HWY 160

UTM X UTM Y

REMARKS:

441,568.41 4,132,626.45

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 022776

WELL TYPE

Private Well

DRILL DATE:

1960/09/26

TOWNSHIP 30N

RANGE SECTION

16

ELEVATION:

1.094FT

DRILL DEPTH:

DEPTH TO BED:

253FT

115FT

25W

UTM X

UTM Y 4,132,761.48

438,317.35 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



RANGE

25W

TOWNSHIP

30N

REMARKS: YIELD - 0.5 GPM

TOWNSHIP

30N

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022075

WELL TYPE

Community Public Well

1963/12/01 DRILL DATE:

DRILL DEPTH: 892FT

DEPTH TO BED: 55FT

S.W.L. (BEFORE CASING): 77 FT **REMARKS:**

S.W.L. (AFTER CASING): FT 55

LOG ID: 014288

WELL TYPE

Private Well

DRILL DATE: 1955/00/00

115FT

DRILL DEPTH:

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP SECTION RANGE 30N

25W

18

SECTION

2

SECTION

17

UTM X 435,056.29

ELEVATION:

UTM X

442,269.40

ELEVATION:

UTM X

436,376.34

ELEVATION:

ELEVATION:

UTM X

437,585.34

UTMY 4,133,037.51

1,107FT

UTM Y

4,135,218.42

1,102FT

UTM Y

4,129,780.53

1,118FT

1,071FT

UTMY

4,132,941.49

ZONE 15

ZONE 15

ZONE 15

ZONE 15

LOG ID: 023530

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: 205FT

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 003933

WELL TYPE Private Well

1936/09/05 **DRILL DATE:**

DRILL DEPTH: 61FT

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

9 S.W.L. (AFTER CASING):

TOWNSHIP

FT

REMARKS:

RANGE 30N 25W 30

SECTION

RANGE

25W

1 MI N OF JCT HWYS 160 & FF ON FF

"CHESTER" ON LOG; 2 MI S OF EVERTON **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005466

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u> 1939// <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u>

200FT 30N 25W 8

REMARKS:

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 70FT 438,109.33 4,134,435.47

Driller's Log Attached

70NE 15

ZONE 15

1,120FT

S.W.L. (AFTER CASING): 25

S.W.L. (BEFORE CASING):

LOG ID:

023240

WELL TYPE Private Well

DRILL DATE: 1964/10/15 TOWNSHIP RANGE SECTION ELEVATION: 1,135FT

DRILL DEPTH: 283FT 30N 25W 9

FT

<u>DEPTH TO BED:</u> 10FT <u>UTM X</u> <u>UTM Y</u> 438,357.34 4,134,593.46

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: YIELD - 10 GPM @ 280'

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025764 Noncommunity Public Well

<u>DRILL DATE:</u> <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,120FT

DRILL DEPTH: 265FT 30N 25W 9

UTM X UTM Y

<u>DEPTH TO BED:</u> 80FT 438,357.34 4,133,761.47 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

250FT

S.W.L. (AFTER CASING): 25

LOG ID:

DRILL DEPTH:

WELL TYPE

004108 Noncommunity Public Well

DRILL DATE: 1936/12/23 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,070FT

UTM X UTM Y

26W

19

<u>DEPTH TO BED:</u> 15FT 425,475.22 4,131,524.67

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: Driller's Log Attached

30N

S.W.L. (AFTER CASING): 72



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009868

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1942/00/00 DRILL DATE:

250FT

100FT

TOWNSHIP 30N

RANGE 26W

SECTION 19

ELEVATION:

1,027FT

IN PENNSBORO

UTM X 426,475.23

UTMY 4,131,730.65

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 023706

WELL TYPE Private Well

DRILL DATE:

1965/06/01

TOWNSHIP

RANGE

SECTION 21

ELEVATION:

ZONE 15

1,139FT

DRILL DEPTH:

595FT

30N 26W

> **UTM X** 429,436.26

UTMY 4,130,293.62

DEPTH TO BED:

5FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

200

FT

FT

REMARKS:

YIELD - 20 GPM @ 250'; 4 MI S OF GREENFIELD, THEN E 2 MI

LOG ID: 022785

WELL TYPE Private Well

DRILL DATE:

1964/01/22

TOWNSHIP

RANGE

NO PRODUCTION DATA

SECTION

ELEVATION:

1,092FT

DRILL DEPTH:

313FT

30N

26W 23

UTM X

UTM Y 4,131,122.56

DEPTH TO BED:

45FT

REMARKS:

432,596.27

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

85

LOG ID: 007261

WELL TYPE Private Well

DRILL DATE:

1941/06/01

TOWNSHIP 30N

RANGE

SECTION

ELEVATION:

1,010FT

DRILL DEPTH:

DEPTH TO BED:

435FT 85FT 27W 14

UTM X

UTM Y

422.667.19

4,133,241.69

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA - Driller's Log Attached



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014357

WELL TYPE Private Well

1955/12/23 DRILL DATE:

TOWNSHIP RANGE 30N

27W 15 **ELEVATION:**

1,028FT

DRILL DEPTH:

DEPTH TO BED:

190FT 15FT

19

SECTION

UTM X

420,451.18

UTMY 4,133,487.73

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 015550

WELL TYPE Private Well

DRILL DATE:

1956/00/00

TOWNSHIP

SECTION RANGE

ELEVATION: 1,150FT

DRILL DEPTH: DEPTH TO BED: 200FT 20FT

30N 27W 18

UTM X **UTMY**

416,954.16

UTM X

419,974.20

4,132,799.79

ZONE 15

S.W.L. (BEFORE CASING):

50

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022417

Private Well

DRILL DATE:

TOWNSHIP RANGE 30N 27W

SECTION 21

ELEVATION: 1,158FT

DRILL DEPTH:

260FT

UTM Y

DEPTH TO BED:

20FT

4,130,462.76

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 0.5 MI S & 2 MI E OF KING POINT, S & E OF LOCKWOOD

S.W.L. (AFTER CASING):

LOG ID: 007265

WELL TYPE Private Well

DRILL DATE:

1941/05/01

TOWNSHIP

SECTION RANGE

22

ELEVATION:

1,115FT

DRILL DEPTH:

380FT

10FT

30N 27W

UTM X

420.402.19

UTM Y 4,131,874.74

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

DEPTH TO BED:

121



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024630

WELL TYPE Private Well

DRILL DATE:

1965/10/30 **TOWNSHIP** 30N

RANGE SECTION 27W

ELEVATION: 1,048FT

DRILL DEPTH:

758FT

23

UTM X **UTMY** 4,131,828.71

422,422.20 ZONE 15

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING): FT

160

YIELD - 15 GPM @ 280' **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 015772

WELL TYPE

Outcrop Description

DRILL DATE:

TOWNSHIP 30N

SECTION RANGE 24 27W

ELEVATION: 1,011FT

DRILL DEPTH:

115FT

UTM X

UTMY

4,131,783.69

423,843.21 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022423

WELL TYPE Private Well

1963/06/18

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,139FT

DRILL DATE: DRILL DEPTH:

200FT

30N 27W 27

UTM X

421,755.22

DEPTH TO BED:

25FT

120

UTM Y 4,129,224.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NEAR FAULT, SEE LOG #15651;

S.W.L. (AFTER CASING):

LOG ID: 013470

WELL TYPE Private Well

DRILL DATE:

1954/00/00

TOWNSHIP 30N

RANGE SECTION

28W

ELEVATION:

1,112FT

DRILL DEPTH:

DEPTH TO BED:

530FT 20FT

10

UTM X UTM Y

410.975.10

4,135,369.85 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015652

WELL TYPE Private Well

1956/03/01 DRILL DATE:

TOWNSHIP 30N

SECTION 20

ELEVATION:

1,105FT

DRILL DEPTH:

497FT

28W

RANGE

UTM X

UTMY 4,131,867.93

DEPTH TO BED:

20FT

407,458.11

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE

028390

Noncommunity Public Well

DRILL DATE:

1974/04/16

TOWNSHIP

SECTION RANGE

ELEVATION:

1,099FT

DRILL DEPTH:

1,100FT

30N 28W

UTM X

UTMY

DEPTH TO BED:

30FT

64

29

408,088.13

4,129,942.94

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well

DRILL DATE:

015658

1956/10/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,101FT

DRILL DEPTH:

705FT

30N 28W

> UTM X UTM Y

DEPTH TO BED:

10FT

112

409,052.09 4,136,093.87

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 4 MI W & 2 MI S OF LOCKWOOD; YIELD - 30 GPM @ 115'

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

006022

Private Well

DRILL DATE:

1940/05/04

TOWNSHIP

30N

RANGE

SECTION 7

5

ELEVATION:

1,088FT

DRILL DEPTH:

DEPTH TO BED:

549FT

15FT

28W

UTM X UTM Y

407,350.09 4,134,123.91

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: Driller's Log Attached

73 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013253

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1954/12/21 **SECTION** DRILL DATE: **TOWNSHIP RANGE**

> 30N 28W 7

ELEVATION: 1,057FT

UTM X UTMY 405,950.08 4,134,545.93

ZONE 15

S.W.L. (BEFORE CASING): FT

OLD WELL DEEPENED 110-640'; 2.5 MI S & 2.5 MI E OF GOLDEN **REMARKS**:

CITY

LOG ID: 004038

WELL TYPE Private Well

DRILL DATE:

S.W.L. (AFTER CASING):

1936/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

990FT

DRILL DEPTH:

330FT

85

640FT

110FT

75

31N 25W 17

UTM X

UTMY

DEPTH TO BED: 45FT 438,272.28

4,141,619.39

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

LOG ID:

WELL TYPE

005216

Private Well

DRILL DATE:

1938/00/00

TOWNSHIP 31N

SECTION RANGE 17

ELEVATION:

953FT

DRILL DEPTH:

300FT

25W

8 MI E OF GREENFIELD

UTM X 437,872.28 UTM Y

DEPTH TO BED:

50FT

4,141,619.40

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 004005

WELL TYPE Private Well

DRILL DATE:

125FT

RANGE SECTION TOWNSHIP 31N

25W

18

ELEVATION:

UTM X

1,065FT

DRILL DEPTH: DEPTH TO BED:

25FT

45

UTM Y

436,015.25 4,141,440.42 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2/27/2007

1,267



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014234

DEPTH TO BED:

WELL TYPE Private Well

1955/00/00 DRILL DATE:

95FT

TOWNSHIP RANGE SECTION 31N 25W 23

ELEVATION: 1,026FT

DRILL DEPTH: 320FT

UTM X

442,643.37 4,139,423.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

OLD WELL DEEPENED 95-320'; YIELD - 8 GPM @ 140' **REMARKS**:

S.W.L. (AFTER CASING): 85

LOG ID: 000122

WELL TYPE Private Well

DRILL DATE:

1900//

TOWNSHIP

RANGE

SECTION

ELEVATION:

890FT

UTMY

DRILL DEPTH:

170FT

31N 25W 24

UTM X

UTMY

DEPTH TO BED: 10FT

444,253.39 4,139,361.35

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: VOL 12, 1898, P. 74, WSP #195, P. 145. - DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID: 023298

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

620FT

SECTION TOWNSHIP RANGE

ELEVATION: 1,115FT

DRILL DEPTH:

31N 25W 30

> UTM X UTM Y

DEPTH TO BED:

15FT

435,705.27 4,137,996.46

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

021688

1958/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

1,119FT

DRILL DATE: DRILL DEPTH:

420FT

31N

25W 31

UTM X UTM Y

DEPTH TO BED:

35FT

436,449,28 4,137,893.45

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023297

DEPTH TO BED:

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE SECTION 31N

25W 31 **ELEVATION:**

1,119FT

DRILL DEPTH: 785FT

UTM X 435,649.27

UTMY 4,137,893.46

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 013144

WELL TYPE

Private Well

DRILL DATE:

1954/10/03

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,064FT

DRILL DEPTH:

434FT

10FT

31N 25W 35

> UTM X 442,142.38

> > ZONE 15

ZONE 15

UTMY 4,136,811.40

DEPTH TO BED:

25FT

65

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

3 MI W ON HWY 160, 3 MI N OF ASH GROVE

LOG ID: 014233

WELL TYPE Private Well

DRILL DATE:

1955/00/00

TOWNSHIP 31N

RANGE

SECTION 36

ELEVATION:

975FT

DRILL DEPTH:

220FT

25W

UTM X 444,147.41

UTM Y 4,137,354.37

DEPTH TO BED:

10FT

REMARKS: ARTESIAN FLOW

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011791

Noncommunity Public Well

DRILL DATE:

1951/00/00

TOWNSHIP

RANGE

SECTION 6

ELEVATION:

UTM X

998FT

220FT

31N

25W

UTM Y

DRILL DEPTH: DEPTH TO BED:

35FT

40

436.150.23

4,144,472.39

1,269

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026666

WELL TYPE

Noncommunity Public Well

1970/06/24 DRILL DATE:

TOWNSHIP RANGE SECTION 31N 25W

ELEVATION:

928FT

DRILL DEPTH: 400FT

UTM X

UTM X

UTMY

DEPTH TO BED: 20FT

436,476.24 4,144,334.38

ZONE 15

S.W.L. (BEFORE CASING):

80 FT

DADE CO HISTORICAL SOCIETY; YIELD - 40 GPM @ 110' **REMARKS**:

S.W.L. (AFTER CASING):

FT 60

LOG ID:

WELL TYPE

004163

DEPTH TO BED:

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

20FT

SECTION RANGE 31N 25W 8

ELEVATION: 1,028FT

DRILL DEPTH: 45FT

UTMY

437,323.25 4,144,260.38 ZONE 15

S.W.L. (BEFORE CASING):

ZINC PROSPECT REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 003959

WELL TYPE

Private Well

DRILL DATE:

1936/10/01

TOWNSHIP RANGE **SECTION** 12

ELEVATION:

435,221.22

996FT

DRILL DEPTH:

89FT

31N 26W

UTM X

DEPTH TO BED:

15FT

UTM Y 4,144,384.40

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

35

LOG ID:

WELL TYPE

025767

Private Well

DRILL DATE:

1967/12/01

TOWNSHIP RANGE

SECTION

ELEVATION:

916FT

DRILL DEPTH:

255FT

31N

26W 14

UTM Y

DEPTH TO BED:

65FT

UTM X 432.920.21

4,141,379.45

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

SCANNED; 5 MI E OFL GREENFIELD ON HWY 160

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007200

DEPTH TO BED:

WELL TYPE Private Well

1941/04/01 DRILL DATE: **TOWNSHIP**

RANGE SECTION 31N 26W 17

ELEVATION: 1,091FT

DRILL DEPTH: 110FT

UTM X

427,656.16 4,142,793.52

UTMY

4,142,012.55

ZONE 15

S.W.L. (BEFORE CASING):

FT

2 MI NE OF GREENFIELD; "CAN BE BAILED DRY" **REMARKS**:

S.W.L. (AFTER CASING): 35

LOG ID: 016080

WELL TYPE Private Well

DRILL DATE:

1957/02/18

15FT

15FT

TOWNSHIP RANGE

SECTION

ELEVATION: 1,100FT

DRILL DEPTH: 412FT 31N 26W 18

UTM X UTMY

426,428.16 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 20 GPM @ 220'

S.W.L. (AFTER CASING): 200

LOG ID: 003032

WELL TYPE

Community Public Well

DRILL DATE:

1924/04/01

TOWNSHIP RANGE **SECTION**

ELEVATION: 1,075FT

DRILL DEPTH:

1,006FT

31N

26W 19

> UTM X **UTMY**

DEPTH TO BED: 10FT 425,551.16 4,141,156.57

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

235

LOG ID:

WELL TYPE

025034

Community Public Well

DRILL DATE:

1967/06/

TOWNSHIP

RANGE SECTION **ELEVATION:**

966FT

DRILL DEPTH:

800FT

31N

26W 31

DEPTH TO BED:

15FT

UTM X 425,539.19

UTM Y 4,136,771.62

ZONE 15

S.W.L. (BEFORE CASING):

80 FT

REMARKS:

S.W.L. (AFTER CASING):

80

FΤ



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005215

WELL TYPE Private Well

1938/00/00 DRILL DATE:

TOWNSHIP RANGE SECTION 31N 26W 7

1.25 N OF GREENFIELD

ELEVATION:

1,084FT

DRILL DEPTH: 450FT

UTM X 426,054.14

UTMY 4,143,850.54

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

FT

REMARKS:

ZONE 15

S.W.L. (AFTER CASING): 90

LOG ID: 013404

WELL TYPE Private Well

DRILL DATE:

1955/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

983FT

DRILL DEPTH:

455FT

140

31N 26W 8

UTM X

UTMY

DEPTH TO BED: 35FT 428,696.16

4,143,794.50

ZONE 15

S.W.L. (BEFORE CASING):

FT

2 MI N & 1 MI E OF GREENFIELD REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 021711

WELL TYPE Private Well

DRILL DATE:

1963/02/18

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,019FT

DRILL DEPTH:

374FT

31N 26W 8

UTM X

UTMY

DEPTH TO BED:

15FT

427,896.15

4,144,611.50

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

YIELD - 20 GPM @ 240'; 2 MI N & 1 MI E OF GREENFIELD

180

LOG ID: 013373

WELL TYPE Private Well

1954/12/01

TOWNSHIP

SECTION RANGE

ELEVATION:

1,060FT

UTM Y

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

410FT

15FT

31N 27W

UTM X

424.856.13 4,144,908.55

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

2 MI N OF GREENFIELD; YIELD - 10 GPM @ 300' **REMARKS**:

S.W.L. (AFTER CASING):

160



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003216

DRILL DEPTH:

WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1935/03/01

31N 27W 13 625FT

REMARKS:

DEPTH TO BED: 500FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 130 **TOWNSHIP RANGE SECTION** **ELEVATION:**

1,100FT

UTM X 425,194.15

UTMY 4,141,688.57

ZONE 15

LOG ID: 015653

WELL TYPE Private Well

DRILL DATE:

1956/09/01

TOWNSHIP

RANGE

NO SAMPLES 0-500'; IN GREENFIELD

SECTION

ELEVATION:

1,078FT

DRILL DEPTH: DEPTH TO BED: 283FT 25FT

95

31N 27W 14

UTM X

UTMY

422,771.12

4,142,958.60

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI W & 0.5 MI N OF GREENFIELD

S.W.L. (AFTER CASING):

LOG ID: 003093

WELL TYPE

Private Well

DRILL DATE:

1925/07/

203FT

TOWNSHIP RANGE SECTION 27W

ELEVATION:

1,098FT

UTMY

DRILL DEPTH: DEPTH TO BED:

95FT

31N 24

UTM X

424,963.15 4,141,294.58

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028368

Community Public Well

DRILL DATE:

1980/05/20

TOWNSHIP 31N

RANGE SECTION **ELEVATION:** 1,070FT

DRILL DEPTH:

DEPTH TO BED:

1,585FT

20FT

27W 24

UTM X UTM Y

425.032.15 4,141,204.58

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

238 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013037

WELL TYPE Private Well

1954/00/00 DRILL DATE:

TOWNSHIP 31N

RANGE SECTION **ELEVATION:**

1,092FT

DRILL DEPTH:

440FT

27W 25

UTM X

UTMY 4,138,659.61

DEPTH TO BED: 25FT

424,721.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

S.W.L. (AFTER CASING):

245

LOG ID: 013392

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1954/08/01

TOWNSHIP

SECTION RANGE

ELEVATION:

1,097FT

DRILL DEPTH:

480FT

31N

27W 25

UTM X

425,321.16

ZONE 15

UTMY 4,139,883.59

DEPTH TO BED:

30FT

250

REMARKS:

REMARKS:

REMARKS:

0.5 MI S OF GREENFIELD ON HWY 39

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

Private Well

007263 **DRILL DATE:**

LOG ID:

1941/06/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,063FT

DRILL DEPTH:

125FT

31N 27W 26

UTM X

UTMY

DEPTH TO BED:

12FT

423,705.16

4,138,498.63

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

013459

Private Well

DRILL DATE:

1955/00/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

UTM X

1,125FT

DRILL DEPTH:

342FT

31N

27W 27

UTM Y

DEPTH TO BED:

25FT

420.871.14

4,138,529.67

ZONE 15

S.W.L. (BEFORE CASING):

SULPHER WATER AT 260' **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002217

WELL TYPE

Community Public Well

1928/09/01 DRILL DATE:

TOWNSHIP RANGE SECTION 31N 31

27W

DRILL DEPTH: 1,197FT UTM X **UTMY** DEPTH TO BED: 15FT

415,732.12 4,136,993.77

ELEVATION:

ELEVATION:

ELEVATION:

ZONE 15

1,082FT

1,089FT

1,079FT

S.W.L. (BEFORE CASING):

FT

181

REMARKS: on city lot - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:

015771

DEPTH TO BED:

WELL TYPE

Outcrop Description

DRILL DATE: 1956/07/09

TOWNSHIP SECTION RANGE

DRILL DEPTH: 40FT

31N 27W 31

UTM X UTMY 416,132.12 4,137,629.75

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 015874

DEPTH TO BED:

WELL TYPE

Private Well

DRILL DATE: 1956/12/15 **TOWNSHIP RANGE SECTION** 31N 27W 31

UTM X UTM Y

DRILL DEPTH: 402FT

416,932.13 4,136,993.75

ZONE 15

S.W.L. (BEFORE CASING): FT

65

25FT

REMARKS:

YIELD - 10 GPM @ 240'; "SULPHUR WATER" @ 280'

31

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

Community Public Well 026398

DRILL DATE: 1969/10/01

1,300FT

RANGE SECTION TOWNSHIP 31N 27W

ELEVATION: 1,084FT

DEPTH TO BED: 40FT UTM X UTM Y

415,678.11 4,138,409.75

ZONE 15

S.W.L. (BEFORE CASING): 220 FT **REMARKS:**

S.W.L. (AFTER CASING): FΤ 234



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013403

WELL TYPE Private Well

1954/09/11 DRILL DATE:

TOWNSHIP 31N

RANGE SECTION 27W

ELEVATION:

1,085FT

UTMY

4,136,949.70

DRILL DEPTH:

DEPTH TO BED:

470FT 20FT 33

UTM X

419,812.15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

200

REMARKS: 2.5 MI E OF LOCKWOOD

LOG ID: 015651

WELL TYPE Private Well

DRILL DATE:

1956/11/01

TOWNSHIP 31N

SECTION RANGE

ELEVATION: 1,077FT

ZONE 15

DRILL DEPTH:

600FT

27W 35

DEPTH TO BED:

15FT

UTM X UTMY

422,444.16 ZONE 15

4,138,110.65

S.W.L. (BEFORE CASING):

FT

FT

YIELD - 20 GPM @ 250'; NEAR FAULT, SEE LOG #22423 REMARKS:

S.W.L. (AFTER CASING):

185

LOG ID: 003934

WELL TYPE

Private Well

DRILL DATE:

1936/08/27

TOWNSHIP

RANGE

SECTION 6

ELEVATION:

1,033FT

DRILL DEPTH:

580FT

31N 27W

Driller's Log Attached

UTM X

ZONE 15

416,142.05

UTMY 4,145,919.68

DEPTH TO BED:

40FT

222

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

006760

WELL TYPE Private Well

DRILL DATE:

1941/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

1,010FT

DRILL DEPTH:

730FT

31N

27W 8

UTM X

UTM Y

DEPTH TO BED:

15FT

418.431.08

4,144,391.66

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003862

DRILL DEPTH:

WELL TYPE Private Well

1936/08/28 DRILL DATE:

95FT

DEPTH TO BED: 55FT **TOWNSHIP** 31N

RANGE 28W

SECTION

15

ELEVATION:

UTM X

UTMY 4,142,018.77

412,453.05

ZONE 15

S.W.L. (BEFORE CASING):

3 MI NW OF LOCKWOOD - Driller's Log Attached **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 015873

WELL TYPE Private Well

DRILL DATE:

1957/03/01

85FT

TOWNSHIP 31N

RANGE 28W

SECTION 17

ELEVATION: 1,074FT

DRILL DEPTH: 525FT

UTM X

UTMY

409,043.03

4,142,926.81

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

70

REMARKS:

REMARKS:

DEPTH TO BED:

WELL TYPE

LOG ID: 015330

Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1956/05/04

390FT

60FT

110

TOWNSHIP 31N

RANGE 28W

3.5 MI NE OF GOLDEN CITY

SECTION 18

ELEVATION: 1,070FT

UTM X

406,639.02

UTM Y

4,142,584.85

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 013405

WELL TYPE Private Well

DRILL DATE:

1959/08/21

TOWNSHIP 31N

RANGE

SECTION

ELEVATION:

UTM X

1,070FT

DRILL DEPTH:

DEPTH TO BED:

485FT 30FT

95

28W 20

408.183.04

UTM Y 4,140,497.85

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

4 MI W, 1 MI N, 0.5 MI W OF LOCKWOOD; SULPHUR WATER AT

140'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009163

WELL TYPE

Community Public Well

1946/05/17 DRILL DATE:

DRILL DEPTH: 1,203FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 200

LOG ID: 015773

WELL TYPE

Outcrop Description

DRILL DATE:

1956/07/09

TOWNSHIP 31N

TOWNSHIP

31N

STATION

RANGE

RANGE

28W

SECTION 6

SECTION

36

formerly in name of St. Louis-San Francisco Railway - LOCKWOOD

ELEVATION:

ELEVATION:

UTM X

415,255.11

ZONE 15

965FT

1,091FT

UTMY

4,138,213.76

DRILL DEPTH: DEPTH TO BED: 35FT

28W

UTM X

UTMY 4,146,817.80

406,956.98 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

outcrop description Well HC

S.W.L. (AFTER CASING):

LOG ID: 018398

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1958/10/01

TOWNSHIP

RANGE

SECTION 6

ELEVATION:

1,002FT

DRILL DEPTH:

440FT

31N

28W

UTM X 406,456.99

UTMY 4,145,504.82

DEPTH TO BED:

25FT

EXPLORATORY HOLE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 018702

DRILL DATE:

1959/08/26

TOWNSHIP

RANGE 28W

SECTION

ELEVATION:

980FT

DRILL DEPTH:

556FT

31N

6

UTM X

UTM Y

DEPTH TO BED:

15FT

406.956.99

4,146,615.80

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

YIELD - 12 GPM @ 350', SULPHUR TASTE & SMELL TO WATER

S.W.L. (AFTER CASING):

155



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012965

WELL TYPE Private Well

DRILL DATE: 1954/00/00

TOWNSHIP 31N RANGE SECTION

ELEVATION:

1,056FT

DRILL DEPTH:

600FT

36

<u>UTM X</u> 405,243.05

<u>UTM Y</u> 4,137,615.91

DEPTH TO BED:

45FT

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

116

FT

REMARKS: 1 MI E & 0.75 MI S OF GOLDEN CITY

29W

ZONE 15

LOG ID: 011447

WELL TYPE
Private Well

DRILL DATE:

1950/00/00

TOWNSHIP

RANGE SECTION

ELEVATION: 1,011FT

DRILL DEPTH:

295FT

32N 25W 14

UTM X

<u>UTM Y</u>

DEPTH TO BED: 15FT

442,438.28

4,152,084.26

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: 2 MI N 8

2 MI N & 1.25 MI E OF DADEVILLE

LOG ID:

013426

WELL TYPE

Private Well

DRILL DATE:

1953/09/19

TOWNSHIP

RANGE SECTION

ELEVATION:

996FT

DRILL DEPTH:

445FT

32N 25W

UTM X

UTM Y

DEPTH TO BED:

20FT

442,238.27 4,151,282.26

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING): FT

REMARKS:

1.00.10

107

LOG ID: 008169

WELL TYPE Private Well

1942/00/00

TOWNSHIP

RANGE

SECTION 26

14

ELEVATION:

1,048FT

DRILL DATE:
DRILL DEPTH:

70FT

32N

25W

UTM X

UTM Y

DEPTH TO BED:

70F I 15FT

442,716.29 4,148,279.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 30



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023894

WELL TYPE

Community Public Well

<u>DRILL DATE:</u> 1965/11/15

TOWNSHIP 32N SECTION 27 **ELEVATION:**

1,081FT

DRILL DEPTH:

805FT

25W

RANGE

<u>UTM X</u> 440,443.27 <u>UTM Y</u> 4,148,240.30

DEPTH TO BED: S.W.L. (BEFORE CASING):

30FT): 229

REMARKS:

ZONE 15

S.W.L. (AFTER CASING):

219 FT

FT

REMARKS

LOG ID: 011004

WELL TYPE Private Well

DRILL DATE:

1949/09/10

TOWNSHIP

RANGE SECTION

ELEVATION: 1,042FT

ZONE 15

DRILL DEPTH:

273FT

32N 25W 3

UTM X

UTM Y

4,155,394.29

UTMY

4,147,332.30

440,746.26

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 013301

WELL TYPE

Private Well

DRILL DATE:

1954/12/01

1954/12/01

TOWNSHIP

RANGE

SECTION 34 ELEVATION: 1,085FT

DRILL DEPTH:

450FT

32N 25W

UTM X

ZONE 15

441,843.29

<u>DEPTH TO BED:</u>

30FT

60

REMARKS: 1 MI E, 0.5 MI S OF DADEVILLE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 017913

WELL TYPE

Private Well

DRILL DATE:

1958/00/00

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION:

1,024FT

DRILL DEPTH:

DEPTH TO BED:

220FT

5FT

100

32N

25W 34

<u>UTM X</u> 440,643.29

<u>UTM Y</u> 4,145,904.32

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

1.5 MI S & 0.25 MI E OF DADEVILLE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008167

DEPTH TO BED:

WELL TYPE Private Well

1942/00/00 DRILL DATE: **TOWNSHIP RANGE**

SECTION 32N 25W 9

ELEVATION:

1,033FT

DRILL DEPTH: 200FT

UTM X 439,579.24

UTMY 4,152,384.29

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 026997

WELL TYPE

Noncommunity Public Well

35FT

DRILL DATE:

1971/05/04

TOWNSHIP

SECTION RANGE

ELEVATION:

951FT

DRILL DEPTH:

445FT

32N 26W

> **UTM X** 431,947.16

UTMY 4,153,808.38

DEPTH TO BED:

55FT

50

REMARKS:

ZONE 15

10

SECTION

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

172 FT

FT

FT

FT

POOR SET OF SAMPLES; US ARMY CORPS OF ENGINEERS

LOG ID:

WELL TYPE

027320

Community Public Well

DRILL DATE:

TOWNSHIP 32N

RANGE

ELEVATION:

1,032FT

DRILL DEPTH:

525FT

26W 16

UTM X

ZONE 15

429,243.13

UTMY 4,151,735.42

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

5FT 200

REMARKS: 8 MI N OF GREENFIELD ON HWY H

285

WELL TYPE

LOG ID: 028078

Noncommunity Public Well

DRILL DATE:

1977/04/11

TOWNSHIP

32N

RANGE SECTION **ELEVATION:**

868FT

DRILL DEPTH:

DEPTH TO BED:

490FT

45FT

26W 16

> UTM X UTM Y

> > ZONE 15

429.643.13

4,151,839.41

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026852

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1971/05/08

> 32N 26W 425FT

TOWNSHIP

UTM X UTMY DEPTH TO BED: 15FT 428,595.12 4,152,116.43

ZONE 15

1,002FT

ELEVATION:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

DRIVE-IN RESTAURNT-MARINA @ STOCKTON LAKE, 8 MI N OF **REMARKS**:

formerly in name of John Davis - 10 mi NE of Greenfield

3

SECTION

17

GREENFIELD ON H

RANGE

LOG ID: 027339

WELL TYPE

Community Public Well

DRILL DATE: **TOWNSHIP SECTION** 1973/03/01 **RANGE ELEVATION:** 1,011FT

32N 26W 17 DRILL DEPTH: 365FT

UTM X UTMY DEPTH TO BED: 428,795.12 4,151,906.43 100FT

ZONE 15

S.W.L. (BEFORE CASING): 160 NO PRODUCTION DATA; NO SAMPLES 0-100' REMARKS:

REMARKS:

S.W.L. (AFTER CASING): FT

LOG ID: 009251

WELL TYPE

Private Well

DRILL DATE: 1946/07/06 **TOWNSHIP RANGE SECTION ELEVATION:** 992FT

32N 26W 22 **DRILL DEPTH:** 375FT

UTM X **UTMY**

DEPTH TO BED: 431,620.15 4,150,148.39 5FT

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 125

LOG ID:

WELL TYPE

Noncommunity Public Well 026992

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 888FT

DRILL DEPTH: 305FT UTM X UTM Y

DEPTH TO BED: 431,004.15 4,154,797.40 45FT

26W

ZONE 15 S.W.L. (BEFORE CASING): 60

32N

US ARMY CORPS OF ENGINEERS **REMARKS:** FΤ S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003540

DRILL DEPTH:

WELL TYPE Private Well

1936/02/02 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,008FT

> 32N 26W 36 300FT

UTM X **UTMY** DEPTH TO BED: 5FT 435,148.21 4,146,762.37

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 85

REMARKS: H. M. RUSSELL

LOG ID:

WELL TYPE

Noncommunity Public Well 027334

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 921FT

32N 26W 4 DRILL DEPTH: 480FT

UTM X UTMY DEPTH TO BED: 15FT 430,763.15 4,155,471.40

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: US ARMY CORPS OF ENGINEERS; NO CARBONATE NOTTED

S.W.L. (AFTER CASING): FT

LOG ID: 011072

WELL TYPE Private Well

95

DRILL DATE: 1947/00/00 **TOWNSHIP RANGE SECTION ELEVATION:** 1,046FT

32N 26W 6 **DRILL DEPTH:** 273FT

UTM X **UTMY**

DEPTH TO BED: 175FT 426,663.12 4,156,038.46 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: 3 MI E OF ARCOLA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 011074

1947/00/00 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,002FT

DRILL DEPTH: 162FT UTM X UTM Y

DEPTH TO BED: 426.663.11 4,155,194.46 125FT

26W

6

ZONE 15 S.W.L. (BEFORE CASING):

32N

3 MI E, 0.5 MI S OF ARCOLA **REMARKS**: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026956

WELL TYPE

Noncommunity Public Well

DRILL DATE:

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 32N 26W 8

ELEVATION:

940FT

DRILL DEPTH: 365FT

UTM X

UTMY

DEPTH TO BED: 50FT 428,848.13

4,153,124.43

ZONE 15

S.W.L. (BEFORE CASING): 75

REMARKS:

NO PRODUCTION DATA; US ARMY CORPS OF ENGINEERS -

STOCKTON LAKE

LOG ID: 018553

WELL TYPE

Private Well

DRILL DATE:

1959/07/01

TOWNSHIP

RANGE

SECTION ELEVATION:

1,022FT

DRILL DEPTH:

510FT

305

32N 27W 2

UTM X

UTMY

DEPTH TO BED: 5FT 422,722.08

4,156,057.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: SE PART OF ARCOLA; YIELD - 20 GPM @ 320'

S.W.L. (AFTER CASING):

WELL TYPE Private Well

015423 **DRILL DATE:**

LOG ID:

1956/10/19

TOWNSHIP

RANGE SECTION 20

ELEVATION:

1,049FT

DRILL DEPTH:

510FT

32N 27W

UTM X

UTMY

DEPTH TO BED:

30FT

25

417,687.03 4,150,112.61

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: YIELD - 10 GPM @ 225'; 6.5 MI N, 1 MI E, 0.5 MI N OF LOCKWOOD

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

027277

DEPTH TO BED:

Noncommunity Public Well

DRILL DATE:

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,033FT

DRILL DEPTH:

440FT

32N 27W

> UTM X UTM Y

424.742.10 4,148,349.52

ZONE 15

S.W.L. (BEFORE CASING):

10FT

200

REMARKS:

S.W.L. (AFTER CASING):

FΤ



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004791

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

65

1938/05/01 DRILL DATE:

TOWNSHIP RANGE SECTION 32N 27W 28

263FT

UTM X **UTMY** DEPTH TO BED: 20FT 419,673.05 4,148,855.59

ELEVATION:

ZONE 15

1,050FT

S.W.L. (BEFORE CASING): FT

REMARKS: MIXED SAMPLES?

S.W.L. (AFTER CASING):

LOG ID: 024358

WELL TYPE

Community Public Well

DRILL DATE: **TOWNSHIP SECTION** 1966/07/01 **RANGE ELEVATION:** 1,028FT

32N 27W 3 DRILL DEPTH: 930FT

UTM X UTMY DEPTH TO BED: 422,271.07 4,156,008.53 30FT

ZONE 15

S.W.L. (BEFORE CASING): 301 FT **REMARKS**: NO SAMPLES DESCRIBED 700-930'

S.W.L. (AFTER CASING): 309 FT

LOG ID: 015403

WELL TYPE

Private Well

DRILL DATE: 1956/10/01 **TOWNSHIP RANGE SECTION ELEVATION:** 1,021FT

> 32N 27W 32 670FT

DRILL DEPTH: UTM X **UTMY DEPTH TO BED:** 418,215.06 4,146,654.64 15FT

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS**: YIELD - 35 GPM @ 235'

235 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 013343

1955/01/25 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,050FT

32N 27W 9 **DRILL DEPTH:** 482FT

UTM X UTM Y DEPTH TO BED: 100FT 420.198.05 4,153,948.57

ZONE 15

S.W.L. (BEFORE CASING): FT

OLD WELL (#13343) DEEPENED (#15675) 300-482'; 2 MI 3, 1.5 MI W **REMARKS:**

OF ARCO S.W.L. (AFTER CASING): 50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015675

DRILL DEPTH:

WELL TYPE Private Well

1955/01/25 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 32N 27W 9

ELEVATION:

UTM X **UTMY** DEPTH TO BED: 420,198.05 4,153,948.57

1,047FT

ZONE 15

S.W.L. (BEFORE CASING):

SEE LOG #13343 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 016074

WELL TYPE Private Well

1957/00/00 DRILL DATE:

TOWNSHIP SECTION RANGE

ELEVATION: 1,027FT

DRILL DEPTH: 461FT 32N 28W 13

UTM X UTMY

ZONE 15

415,788.01 4,152,415.64

DEPTH TO BED: 15FT

REMARKS: YIELD - 25 GPM @ 170', WITH SULPHUR ODOR

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 012050

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1952/08/30

SECTION TOWNSHIP RANGE 32N 28W 16

ELEVATION: 1,066FT

DRILL DEPTH: 543FT

UTM X **UTMY**

DEPTH TO BED: 35FT 409,743.96 4,152,387.73

ZONE 15

S.W.L. (BEFORE CASING):

12 FT

FT

235

REMARKS: NEAR LOCKWOOD

32N

S.W.L. (AFTER CASING):

LOG ID:

DRILL DATE:

DEPTH TO BED:

WELL TYPE

Private Well 018709

1959/08/04

25FT

SECTION TOWNSHIP RANGE 28W

ELEVATION: 1,017FT

DRILL DEPTH: 680FT

UTM X UTM Y

> 412.088.97 4,154,938.69

ZONE 15

S.W.L. (BEFORE CASING):

FT

2 MI N, 1.5 MI E OF SYLVANIA; YIELD - 20 GPM @ 300' **REMARKS**:

3

225 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014180

WELL TYPE Private Well

1955/09/20 DRILL DATE: **TOWNSHIP**

RANGE 32N

SECTION

ELEVATION:

1,032FT

DRILL DEPTH: DEPTH TO BED: 660FT 300FT

270

29W 36

UTM X 405,790.97

UTM Y 4,147,476.81

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

SAMPLES BADLY MIXED, NONE 0-300' **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 016618

WELL TYPE Private Well

DRILL DATE:

1953/09/03

TOWNSHIP

RANGE

SECTION ELEVATION: 910FT

DRILL DEPTH:

100FT

33N 25W 29

UTM X

ZONE 15

438,830.25

UTMY 4,157,725.31

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

15FT

41

REMARKS:

YIELD - 20-25GPM @ 75'; "1ST TIM EVER HIT WATER IN SHALE OF

NORTHVIEW"

LOG ID: 016721

WELL TYPE Private Well

1956/07/28

TOWNSHIP 33N

RANGE SECTION 34

ELEVATION:

440,783.27

955FT

4,157,016.29

DRILL DATE: DRILL DEPTH:

225FT

25W

UTM X **UTMY**

ZONE 15

DEPTH TO BED:

15FT

74

YIELD - 12 GPM @ 225'

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 011069

WELL TYPE Private Well

DRILL DATE:

1946/07/10

TOWNSHIP 33N

SECTION RANGE

ELEVATION:

874FT

UTM Y

1,287

DRILL DEPTH:

DEPTH TO BED:

259FT 10FT 26W 28

UTM X

429.916.15 4,157,879.42

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

0.5 MIS OF CRISP

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013639

WELL TYPE Private Well

DRILL DATE: 1955/00/00 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 992FT

DRILL DEPTH: 205FT 33N 27W 28

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 10FT 419,637.05 4,159,372.57

7015 45

S.W.L. (BEFORE CASING): FT REMARKS: 150-205 - "ELSEY" ON LOG; YIELD - 12 GPM @ 150'

S.W.L. (AFTER CASING): 85

LOG ID: 026119

WELL TYPE Private Well

<u>DRILL DATE:</u> 1968/06/18 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 990FT

DRILL DEPTH: 286FT 33N 28W 34

REMARKS:

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 412,336.98 4,157,157.69

3.5 MI N & 1.5 MI E OF SYLVANIA

S.W.L. (BEFORE CASING): FT DEMARKS: 2.5 MIN S.4.5 MI F. OF CYLVANIA

S.W.L. (AFTER CASING): 58

DADE